



The **HBC105** Huxford Bar Cooler or Bar Chiller commercial refrigerator takes up minimal space, has a non-slip plastic top and/or can be fitted under a bench or counter. The internal operating temperature is between 0-10°C so it is suitable for drinks and beverages. Designed with compact components for maximum storage capacity and visibility through the front curved lockable glass door. The front, top mounted bright internal LED lights illuminate the contents, perfect for attracting customer attention to product. Complying with Australian (and NZ) Government MEPS (Minimum Energy Performance Standards) this unit is rated 3M2. A mechanical controller on the rear for temperature and light switch on top right for the internal lighting. Designed for everyday use. Suitable for up to 25°C ambient temperature.

#### HBC105 Advantages

Warranty\*

1 Year Standard Warranty
 (Parts & Labour)

• MEPS 3M2

Features a lockable stylish curved glass door



www.huxfordrefrigeration.com.au
<u>1800 489 367</u> Sales@huxford.com.au



Features (shown in white)

	Mechanical temperature controller on rear of unit	N N N N N N N N N N N N N N N N N N N	MEPS rated 3M2 suitable for drinks/beverages	
701mm	Designed to maximise the amount of storage space and product visibility for merchandising	N N N N N N N N N N N N N N N N N N N	Top front mounted internal LED lighting maximises product visibility	
TEER. FRIDE	Custom sticker or decal on sides, top or even glass	24 24 24 24 24 24 24 24 24 24 24 24 24 2	Recessed PVC moulded door handle in centre of door on both sides in case swing opening needs to be changed	
	Durable PVC top with grippy non-slip circular pattern	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	Plastic moulded shelf slots prevent moisture corrosion	L.X
	Two limited adjustability shelves	N N N N N N N N N N N N N N N N N N N	Internal light switch control easily accessed from switch top right above door	
	Lockable door, two keys supplied with all units keyed alike	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	Powder coated metal shroud at rear allows air flow to coils	
	Curved glass door	N N N N N N N N N N N N N N N N N N N	Shelves are easily adjusted to various heights to accommodate different sized products (3 shelves supplied, shown with 2)	
	PVC coated steel shelf prevents moisture corrosion	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	Flat plastic moulded base of cabinet easy to clean from food and beverage spillage	
000	Four adjustable feet prevent accidental movement and easy levelling	24 24 24 24 24 24 24 24 24 24 24 24 24 2		



www.huxfordrefrigeration.com.au
1800 489 367 sales@huxford.com.au



## **Colour Options & Optional Custom Decals**



## HBC105 Optional Custom Decals (additional cost)





www.huxfordrefrigeration.com.au
1800 489 367 sales@huxford.com.au



# Specifications



Model No	HBC105 (White) & HBC105-B (Black)		
External			
Size (mm)	505 x 580 x 860mm		
Width x Depth x Height	וווווטסס ג טסכ ג כטכ		
Doors	Self Closing		
Exterior/Interior	Powder Coated Galvanised Steel - Colour Options: Black or White		
Sign Box	N/A		
Feet	4 Adjustable		
Internal			
Capacity (Litres)	105L		
Size (mm) Width x Depth x Height	410 x 383 x 701mm		
Temperature Range (°C)	0°C to 10°C - Tropicalised unit rated for 25°C ambient outside temperature		
Suitable Foods & Drinks/Beverages	Drinks or Beverages refrigerator only		
Controller / Thermometer	Mechanical		
Interior Lighting	LED Manual Control		
Insulation	CFC free Cyclopentane		
Shelving	3 Limited Adjustability Heavy Duty PVC Coated Shelves with Moulded Shelf Slots		
Energy & Power			
MEPS Compliance	3M2		
MEPS Efficiency (kWh/24hr/m²)	ТВА		
Energy Consumption* (kWh/24hr)	1.43		
Power Required	220-240VAC/10Amp, Standard GPO (general power outlet)		
Mechanical			
Service Package	N/A		
Compressor	Secop (Danfoss)		
Refrigerant	R600a		
Evaporator Treatment	N/A		
Other Features			
Features	Lockable Door with 2 Keys Supplied (keyed alike)		
Warranty*			
Warranty*	1 Year Standard Warranty <u>*Warranty Terms &amp; Conditions apply</u>		

Huxford Refrigeration attempts to ensure the information is accurate and complete; however, this information may contain typographical errors, pricing errors and other inaccuracies. We assume no responsibility for such errors and omissions, and reserve the right to: (i) revoke any offer stated on the Web site; (ii) correct any errors, inaccuracies or omissions; and (iii) make changes to prices, content, promotions, product descriptions or specifications, or other information on the Web Site.



www.huxfordrefrigeration.com.au
<u>1800 489 367</u> Sales@huxford.com.au