


**HUXFORD HCT65 SMALL COUNTER TOP COMMERCIAL DISPLAY FRIDGE**

 INTERNAL OPERATING  
 TEMPERATURE

**0-4°C**

 Perishable Foods ✓  
 Drinks & Beverages ✓

 OUTSIDE or AMBIENT  
 OPERATING  
 TEMPERATURE  
 Up to

**25°C**

 STANDARD WARRANTY  
 YEARS\*


Excludes Corporates



ENERGY CONSUMPTION

**2.79kWh/24hr<sup>1</sup>**

 ELECTRICITY COST for 1  
 YEAR @ \$0.25c/kW

**\$254.59<sup>1</sup>**
<sup>1</sup>Performed under test conditions

MEPS RATED

**3M1**

 NATURAL REFRIGERANT  
 GAS R290


The **HCT65** Huxford Counter Top commercial display refrigerator takes up minimal bench space and is ideal for impulse buys especially at point of sale locations. The internal operating temperature is between 0-4°C so it will store and display dairy, meat, seafood, processed foods (all potentially hazardous foods) as well as perishable foods and beverages. Airflow technology delivers cold air throughout the fridge, also means quick pull-down of warm/hot product. Utilises R290 a natural low environmental impact refrigerant gas. Designed with compact components for maximum storage capacity. All four sides are glass for maximum product visibility and the bright internal LED lights in each corner illuminate the contents perfect for attracting customer attention. Complying with Australian (and NZ) Government MEPS (Minimum Energy Performance Standards) this unit is rated 3M1. Fitted with a Carel digital controller that also controls the internal light and digitally displays the temperature. Designed for everyday use. Suitable for up to 25°C ambient temperature.


**HCT65 Advantages**
**Warranty\***

- 1 Year Standard Warranty (Parts & Labour)

**Compliance**

- MEPS 3M1

**Airflow Technology**

























- Airflow technology means faster cooling and temperature pull-down of product

**Low Environmental Impact Gas**

- Uses R290 natural refrigerant gas, low environmental impact, non-toxic, zero ODP, very low GWP, high performance/efficiency

**HUXFORD HCT65 SMALL COUNTER TOP COMMERCIAL DISPLAY FRIDGE**

**Features** (shown in white)

	<p>Airflow technology delivering cold air throughout the fridge, also means quick pull-down of warm/hot product</p>		<p>MEPS rated 3M1 suitable for dairy, meat, seafood, juices, drinks/beverages and perishable foods (including all potentially hazardous foods)</p>	
	<p>Uses natural R290 refrigerant gas, low environmental impact, non-toxic, zero ODP, very low GWP, high performance/efficiency</p>		<p>Tempered safety glass with one pane Low E to reduce condensation</p>	
	<p>High quality German EBM fan motors</p>		<p>Corner mounted bright internal facing LED lighting maximises product visibility</p>	
	<p>Custom sticker or decal on sides, partial front or even glass</p>		<p>Electronic Carel Controller with Ice Blue LCD display</p>	
	<p>Shelves are easily adjusted to various heights to accommodate different sized products</p>		<p>Magnetised seal on door</p>	
	<p>Powder coated internal base of cabinet prevents stains and/or damage from spillage by food and beverages</p>		<p>Powder coated steel shelf back stripping with 24mm increments holes to make levelling or adjusting simple</p>	
	<p>One adjustable shelf and one base shelf supplied standard</p>		<p>Internal light switch control easily accessed from Carel controller on front bottom</p>	
	<p>Lockable door, two keys supplied with all units keyed alike</p>		<p>PVC coated steel shelf prevents moisture corrosion</p>	

Features continue next page...

**HUXFORD HCT65 SMALL COUNTER TOP COMMERCIAL DISPLAY FRIDGE**

**More Features**

	<p>Easy to remove service cover to clean the condenser, apart of good care and maintenance prolonging product life</p>		<p>Designed to maximise the amount of storage space and product visibility for merchandising</p>	
	<p>Refrigeration components access with 2/3 slide out tray</p>		<p>Four adjustable feet prevent accidental movement and easy levelling</p>	

**Colour Options & Optional Custom Decals**



**HCT65-B**  
In Black



**HCT65-B & HCT65**  
Optional Custom Decals (additional cost)



**HCT65**  
In White




**HUXFORD HCT65 SMALL COUNTER TOP COMMERCIAL DISPLAY FRIDGE**
**Specifications**


Model No	<b>HCT65 (White) &amp; HCT65-B (Black)</b>
<b>External</b>	
Size (mm) Width x Depth x Height	425 x 425 x 850mm
Doors	Double Glazed Toughened Safety Glass with One Pane Low E Coating & Magnetised Door Seal
Exterior/Interior	Powder Coated Galvanised Steel - Colour Options: White or Black
Sign Box	N/A
Feet	4 Adjustable
<b>Internal</b>	
Capacity (Litres)	64L
Size (mm) Width x Depth x Height	285 x 345 x 440mm
Temperature Range (°C)	0°C to 4°C – Tropicalised unit rated for 25°C ambient outside temperature
Suitable Foods & Drinks/Beverages	<b>All Perishable, Drinks or Potentially Hazardous Foods</b> <b>Dairy</b> (all, milk, custard, etc), <b>Meat/Poultry</b> (all, raw, cooked, foods containing meat, etc), <b>Seafood</b> (all, non-live), <b>Processed Cut Fruits &amp; Vegetables</b> (all, fruit, vegetables, juices and salads), <b>Cooked Rice &amp; Pasta</b> , <b>Food/s containing Egg, Beans, Nuts</b> or protein-rich foods, Food/s containing any of the above, <b>Perishable Foods, Drinks and Beverages</b>
Controller / Thermometer	Carel Digital Display
Interior Lighting	LED Manual Control
Insulation	CFC free Cyclopentane
Shelving	1 Adjustable & 1 Base PVC Coated Shelves 24mm Shelf Increments
<b>Energy &amp; Power</b>	
MEPS Compliance	3M1
MEPS Efficiency (kWh/24hr/m <sup>2</sup> )	5.26
Energy Consumption* (kWh/24hr)	2.79
Power Required	220-240VAC/10Amp, Standard GPO (general power outlet)
<b>Mechanical</b>	
Service Package	N/A – Refrigeration components access with 2/3 slide out tray
Compressor	Cubigel
Refrigerant	R290 🌿 Natural, Low Environmental Impact & High Efficiency
Evaporator Treatment	N/A
<b>Other Features</b>	
Features	<ul style="list-style-type: none"> <li>Airflow Technology Design – Also means Quick Pull-Down Temperature of Product</li> <li>LED Light Strips in all Four Corners Illuminate Contents for Attention</li> </ul>
<b>Warranty*</b>	
Warranty*	<b>1 Year Standard Warranty *Warranty Terms &amp; Conditions apply</b>

Huxford Refrigeration attempts to ensure the information is accurate and complete; however, this information may contain typographical errors, pricing errors and other inaccuracies. We assume no responsibility for such errors and omissions, and reserve the right to: (i) revoke any offer stated on the Web site; (ii) correct any errors, inaccuracies or omissions; and (iii) make changes to prices, content, promotions, product descriptions or specifications, or other information on the Web Site.