

HUXFORD HF360 UPRIGHT 1 DOOR COMMERCIAL DISPLAY FREEZER

INTERNAL OPERATING TEMPERATURE
-18 to -25°C
Perishable Foods ✓
Drinks & Beverages ✓

OUTSIDE or AMBIENT OPERATING TEMPERATURE
Up to
40°C

STANDARD WARRANTY YEARS*
1
Excludes Corporates

ENERGY CONSUMPTION
14.4kWh/24hr¹
ELECTRICITY COST for 1 YEAR @ \$0.25c/kW
\$1,314.00¹
¹Performed under test conditions

MEPS RATED
3L1

The HF360 Huxford Freezer is an upright bottom mounted single door commercial display freezer that takes up minimal floor space. The internal operating temperature is between -18°C to -25°C so it will store and display ice, ice cream and other foods or drinks that are able to be frozen. Designed with compact components for maximum storage capacity and visibility through the front glass door. The front and side mounted bright internal LED lights illuminate the entire contents, perfect for attracting customer attention to product. Complying with Australian (and NZ) Government MEPS (Minimum Energy Performance Standards) this unit is rated 3L1. Fitted with an STC-600 digital controller that also controls the internal light and digitally displays the temperature. Designed for everyday use. Suitable for up to 40°C ambient temperature.

HF360 Advantages

Warranty*

- 1 Year Standard Warranty (Parts & Labour)

Compliance

- MEPS 3L1

Maintenance

- Easy to remove service cover



HUXFORD HF360 UPRIGHT 1 DOOR COMMERCIAL DISPLAY FREEZER

Features (shown in white)

	<p>Double pane low E glass to reduce condensation</p>		<p>MEPS rated 3L1 suitable for ice, ice-cream and other foods or drinks that can be frozen</p>	
	<p>STC-600 Electronic Controller</p>		<p>Designed to maximise the amount of storage space and product visibility for merchandising</p>	
	<p>Bright dual side/front internal LED lighting maximises product visibility for shopper attention</p>		<p>Custom sticker or decal on sides, front, small top illuminated bar or even glass</p>	
	<p>Self closing doors with full length handles and deep accessible grips for easy customer opening</p>		<p>Shelves are easily adjusted to various heights to accommodate different sized products</p>	
	<p>Stainless steel shelf clips & PVC coated steel shelves prevent moisture corrosion</p>		<p>Powder coated internal base of cabinet prevents stains and/or damage from spillage by food and beverages</p>	
	<p>Stainless steel shelf level stripping with 12mm increments has numbered clip holes to make levelling or adjusting simple</p>		<p>Five adjustable shelves supplied as standard</p>	
	<p>Internal light switch control easily accessed from STC-600 controller on front bottom</p>		<p>Easy to remove service cover to clean the condenser, apart of good care and maintenance prolonging product life</p>	
	<p>Four heavy duty smooth rolling castors. Front castors are lockable which prevents accidental movement</p>		<p>Permanent 200mm high illuminated lightbox supplied standard</p>	
	<p>Red stock load lines show recommended stock areas for optimum freezer performance</p>			



HUXFORD HF360 UPRIGHT 1 DOOR COMMERCIAL DISPLAY FREEZER

Colour Options & Optional Custom Decals



HF360
In White



HF360
Optional Custom Decals (additional cost)



HF360-B
In Black



HF360
Optional Custom Decals (additional cost)

HUXFORD HF360 UPRIGHT 1 DOOR COMMERCIAL DISPLAY FREEZER

Specifications



Model No	HF360 (White) & HF360-B (Black)
External	
Size (mm) Width x Depth x Height	670 x 700 x 2000mm
Doors	Self Closing Triple Glazed, Two Layers in Tempered Heated Film Low E
Exterior/Interior	Powder Coated Galvanised Steel - Colour Options: White or Black
Sign Box	Illuminated 200mm High Non-Removable
Castors	4 Heavy Duty (2 front lockable)
Internal	
Capacity (Litres)	360L
Size (mm) Width x Depth x Height	550 x 553 x 1370mm
Temperature Range (°C)	-18°C to -25°C - Tropicalised unit rated for 40°C ambient outside temperature
Suitable Foods & Drinks/Beverages	Ice, Ice-Cream & Freezable Foods (some drinks)
Controller / Thermometer	STC-600 Digital Display
Interior Lighting	LED Manual Control
Insulation	CFC free Cyclopentane
Shelving	5 Adjustable Heavy Duty PVC Coated Shelves 12mm Shelf Increments
Energy & Power	
MEPS Compliance	3L1
MEPS Efficiency (kWh/24hr/m ²)	33.5
Energy Consumption ¹ (kWh/24hr)	14.4
Power Required	220-240VAC/10Amp, Standard GPO (general power outlet)
Mechanical	
Service Package	N/A
Compressor	Secop (Danfoss)
Refrigerant	R404a
Evaporator Treatment	N/A
Other Features	
Features	<ul style="list-style-type: none"> Internal Load Lines Show Stock Limits for Optimum Performance
Warranty*	
Warranty*	1 Year Standard Warranty * Warranty Terms & Conditions apply

Huxford Refrigeration attempts to ensure the information is accurate and complete; however, this information may contain typographical errors, pricing errors and other inaccuracies. We assume no responsibility for such errors and omissions, and reserve the right to: (i) revoke any offer stated on the Web site; (ii) correct any errors, inaccuracies or omissions; and (iii) make changes to prices, content, promotions, product descriptions or specifications, or other information on the Web Site.