

## HUXFORD HFM14PLUS FLOOR MOUNT 1 DOOR COMMERCIAL DISPLAY FRIDGE

INTERNAL OPERATING TEMPERATURE

**0-4°C**

Perishable Foods ✓  
Drinks & Beverages ✓

OUTSIDE or AMBIENT OPERATING TEMPERATURE

Up to

**40°C**

MAXIMUM POSSIBLE WARRANTY YEARS\*

**2**

or **1** YEARS STANDARD WARRANTY\* Excludes Corporates

ENERGY CONSUMPTION

**5.18kWh/24hr<sup>1</sup>**

ELECTRICITY COST for 1 YEAR @ \$0.25c/kW

**\$472.68<sup>1</sup>**

<sup>1</sup>Performed under test conditions

MEPS RATED

**3M1, 4M1 & 5M1**

The **HFM14PLUS** Huxford Floor Mount Plus is a reliable single door commercial display refrigerator. **The internal operating temperature is between 0-4°C so it will store and display dairy, meat, seafood, processed foods (all potentially hazardous foods) as well as perishable foods, drinks and beverages.** Designed with compact components for maximum vertical storage capacity and wide visual display area, capable of holding an ample amount of product. The top illuminated sign panel (removable) and bright internal LED lights covering almost all of the internal height, are perfect for attracting customer attention to product. **Complying with Australian (and NZ) Government MEPS (Minimum Energy Performance Standards) this unit is rated 3M1, 4M1 & 5M1 and will save you on electricity costs.** Features a Carel digital controller that also controls the internal light and digitally displays the temperature. These units are designed for everyday use. **Suitable for up to 40°C ambient temperature.**

### HFM14PLUS Advantages

#### Warranty\*

- 2 Years Extendable Customer Care Warranty or 1 Year Standard Warranty (both Parts & Labour)

#### Compliance

- MEPS 3M1, 4M1 & 5M1

#### Controller

- Electronic Carel temperature controller

#### Servicing

- Refrigeration components with 2/3 slide out tray

#### Service Cover

- Easy to remove cover for servicing

**HUXFORD HFM14PLUS FLOOR MOUNT 1 DOOR COMMERCIAL DISPLAY FRIDGE**






**Features** (shown in white)

	<p>Electronic Carel Controller</p>		<p>MEPS rated 3M1, 4M1 &amp; 5M1 suitable for dairy, meat, seafood, juices, drinks/beverages and perishable foods (including all potentially hazardous foods)</p>	
	<p>Double glazed toughened safety glass with double heat reflective Low E to reduce condensation</p>		<p>Designed to maximise the amount of vertical internal storage space available for merchandising</p>	
	<p>Bright almost full length internal LED lighting maximises product visibility for shopper attention</p>		<p>High quality German EBM fan motors are energy efficient and low noise</p>	
	<p>Custom sticker or decal on sides illuminated lightbox or even glass to draw attention and promote brand awareness</p>		<p>Self closing doors with full length handles and deep accessible grips for easy customer opening</p>	
	<p>Plated steel shelf clips &amp; PVC coated steel shelves prevent moisture corrosion</p>		<p>Shelves are easily adjusted to various heights to accommodate different sized products</p>	
	<p>Blue coated evaporator protection provides corrosion resistance to acid wear from food</p>		<p>Stainless steel base of cabinet prevents damage of spillage from food and beverages, easy to clean</p>	
	<p>Aluminium shelf level stripping with 12mm increment clip holes to make levelling or adjusting simple</p>		<p>Four heavy duty smooth rolling castors. Front castors are lockable which prevents accidental movement</p>	
	<p>Removable 200mm high illuminated lightbox supplied standard</p>		<p>Four adjustable shelves supplied standard</p>	

Features continue next page...

**HUXFORD HFM14PLUS FLOOR MOUNT 1 DOOR COMMERCIAL DISPLAY FRIDGE**

**More Features**

	<p>Internal light switch control easily accessed from Carel controller on front bottom</p>		<p>Refrigeration components access with 2/3 slide out tray, simply remove two holding screws</p>	
	<p>Easy to remove service cover for regular cleaning of the condenser, part of good care and maintenance</p>			

**Colour Options & Optional Custom Decals**



**HFM14PLUS**  
In White



**HFM14PLUS-B**  
In Black



**HFM14PLUS**  
Optional Custom Decals (additional cost)

## HUXFORD HFM14PLUS FLOOR MOUNT 1 DOOR COMMERCIAL DISPLAY FRIDGE

### Specifications



Model No	<b>HFM14PLUS (White) &amp; HFM14PLUS-B (Black)</b>
<b>External</b>	
Size (mm) Width x Depth x Height	560 x 710 x 2100mm
Doors	Self Closing Double Glazed Toughened Safety Glass with One Pane Low E Coating
Exterior/Interior	Powder Coated Galvanised Steel - Colour Options: Black or White
Sign Box	Illuminated 200mm High Removable
Castors	4 Heavy Duty (2 front lockable)
<b>Internal</b>	
Capacity (Litres)	397L
Size (mm) Width x Depth x Height	464 x 590 x 1315mm
Temperature Range (°C)	<b>0°C to 4°C - Tropicalised unit rated for 40°C ambient outside temperature</b>
Suitable Foods & Drinks/Beverages	<b>All Perishable, Drinks or Potentially Hazardous Foods</b> <b>Dairy</b> (all, milk, custard, etc), <b>Meat/Poultry</b> (all, raw, cooked, foods containing meat, etc), <b>Seafood</b> (all, non-live), <b>Processed Cut Fruits &amp; Vegetables</b> (all, fruit, vegetables, juices and salads), <b>Cooked Rice &amp; Pasta</b> , <b>Food/s containing Egg, Beans, Nuts</b> or protein-rich foods, Food/s containing any of the above, <b>Perishable Foods, Drinks and Beverages</b>
Controller / Thermometer	Carel Digital Display
Interior Lighting	<b>Ecopoint LED Lighting</b> Manual Control
Insulation	CFC free Cyclopentane
Shelving	4 Adjustable Heavy Duty PVC Coated Shelves 12mm Shelf Increments
<b>Energy &amp; Power</b>	
MEPS Compliance	<b>3M1, 4M1 &amp; 5M1</b>
MEPS Efficiency (kWh/24hr/m²)	<b>11.5</b>
Energy Consumption* (kWh/24hr)	<b>5.18</b>
Power Required	220-240VAC/10Amp, Standard GPO (general power outlet)
<b>Mechanical</b>	
Service Package	N/A - Refrigeration components access with 2/3 slide out tray
Compressor	Secop (Danfoss)
Refrigerant	R134a
Evaporator Treatment	<b>Blue Coat Protection</b>
<b>Other Features</b>	
Features	<ul style="list-style-type: none"> <li>Easy to Remove Service Cover</li> </ul>
<b>Warranty*</b>	
Warranty*	<b>2 Year Extendable Customer Care Warranty* or 1 Year Standard Warranty* *Warranty Terms &amp; Conditions Apply</b>

Huxford Refrigeration attempts to ensure the information is accurate and complete; however, this information may contain typographical errors, pricing errors and other inaccuracies. We assume no responsibility for such errors and omissions, and reserve the right to: (i) revoke any offer stated on the Web site; (ii) correct any errors, inaccuracies or omissions; and (iii) make changes to prices, content, promotions, product descriptions or specifications, or other information on the Web Site.