



0-4°C

Perishable Foods ✓

Drinks & Beverages ✓

OUTSIDE or AMBIENT
OPERATING
TEMPERATURE
Up to

40°C

MAXIMUM POSSIBLE WARRANTY YEARS*





or 1 YEARS STANDARD
WARRANTY* Excludes Corporates

ENERGY CONSUMPTION

3.54kWh/24hr1

ELECTRICITY COST for 1 YEAR @ \$0.25c/kW

\$323.021

¹Sign box not included, Performed under test conditions

MEPS RATED

3M1, 4M1 & 5M1

LOW ENERGY /
HIGH ENERGY EFFICIENCY



The **HPM1100** Huxford Pinnacle Merchandiser is a double glass door refrigerator and is an eco-friendly, energy efficient, high quality yet affordable commercial upright display refrigerator. The internal operating temperature is between 0-4°C so it will store and display dairy, meat, seafood, processed foods (all potentially hazardous foods) as well as perishable foods and beverages. Unique "patented" airflow technology keeps the contents consistently chilled to temperature and quickly pulls down the temperature of warm/hot product. Chosen by clients for their eco-friendly design, low energy consumption, utilisation of R290 natural refrigerant, power efficiency, as well as the stylish/modern look with frameless doors and bubble grill. Complying with Australian (and NZ) Government MEPS (Minimum Energy Performance Standards) these units are rated 3M1, 4M1 & 5M1 and will save you on electricity costs. Featuring the universal Replaceable Refrigeration Package, interchangeable between all HPM models which simply slides in and out and requires no tooling. Essential for any business that wants minimal down time in case of fridge failure, especially for perishable foods. Fitted with a Carel digital controller that also controls the internal light and digitally displays the temperature in "icy blue" colour. These units are designed with durability in mind, for everyday heavy use. Suitable for up to 40°C ambient temperature.

HPM1100 Advantages

Warranty*

 5 Years Extendable Customer Care Warranty or 1 Year Standard Warranty (both Parts & Labour)

Energy Efficiency

 One of the lowest energy consumption fridges in the market

Compliance

MEPS 3M1, 4M1 & 5M1

Airflow Technology

 Patented airflow technology means faster cooling and temperature pull-down of product

Natural Refrigerant

 Uses R290 natural gas, low environmental impact, non-toxic, zero ODP, very low GWP, high performance/efficiency

Stylish

 Modern looking with Frameless Doors and Bubble Grill

Servicing

- Universal Removable Refrigeration Package used by all HPM slides in and out, no tools required.
- Long Lasting Steel Construction
- Rodent Proof





Features (shown in white)

*	Patented airflow		MEPS rated 3M1, 4M1 &	
PIRFLO	technology delivering cold air evenly throughout the fridge, also means quick pull- down of warm/hot product	NAME OF THE PARTY	5M1 suitable for dairy, meat, seafood, juices, drinks/beverages and perishable foods (including all potentially hazardous foods)	
	Uses natural R290 refrigerant gas, low environmental impact, non-toxic, zero ODP, very low GWP, high performance/efficiency	NAW W	Removable 200mm high flat lightbox supplied standard, comes with condensation artwork infill	*
	Electronic Carel Controller with ice blue LED display	NAW W	Lockable tabs on top of all doors which are suitable for padlocks	
HUXFORD I	Double glazed toughened safety glass with double heat reflective Low E to reduce condensation	WW.	High quality German EBM fan motors are energy efficient and low noise	
	Removable refrigeration package requires no tools to remove or replace, swaps with all HPM series models	***************************************	Bright full length internal Ecopoint LED light bars (low energy, low voltage 12VDC, IP65 - dust proof & protected against low pressure water)	*
	Custom sticker or decal on sides, kick panel or illuminated lightbox to draw attention and promote brand awareness	***************************************	Fixed powder coated trays on base of cabinet prevents spillage from food and beverages	A SALE OF ALLEAN AND A SALE OF A
	Blue coated evaporator protection provides corrosion resistance to acid wear from food	***************************************	Plated steel shelf clips & PVC coated steel shelves prevent moisture corrosion	
	Self closing doors with full length handles and deep accessible grips for easy customer opening	***************************************	Eight adjustable shelves supplied plus Two fixed base trays	* 2 4 6 6 8 8


Features continue next page...







More Features



Colour Options & Optional Custom Decals





HPM1100-B & HPM1100

Optional Custom Decals (additional cost)

HPM1100-B In Black

HPM1100







Specifications



Model No	HPM1100 (White) & HPM1100-B (Black)			
External	HPWIIOU (WIILE) & HPWIIOU-B (Black)			
Size (mm)				
Width x Depth x Height	1286 x 745 x 2200mm			
	Self Closing Frameless Doors			
Doors	Self Closing Double Glazed Toughened Safety Glass with Low E			
Exterior/Interior	Powder Coated Galvanised Steel - Colour Options: White or Black			
Sign Box	Illuminated 200mm High Removable (comes with condensation atrwork infill)			
Castors	4 Heavy Duty (2 front lockable)			
Internal				
Capacity (Litres)	1077L			
Size (mm)	1176 612 1112			
Width x Depth x Height	1176 x 612 x 1443mm			
Temperature Range (°C)	0°C to 4°C - Tropicalised unit rated for 40°C ambient outside temperature			
	All Perishable, Drinks or Potentially Hazardous Foods			
Suitable Foods &	Dairy (all, milk, custard, etc), Meat/Poultry (all, raw, cooked, foods containing meat, etc),			
Drinks/Beverages	Seafood (all, non-live), Processed Cut Fruits & Vegtables (all, fruit, vegetables, juices and			
Drilliks/ Deverages	salads), Cooked Rice & Pasta, Food/s containing Egg, Beans, Nuts or protein-rich foods,			
	Food/s containing any of the above, Perishable Foods, Drinks and Beverages			
Controller / Thermometer	Carel Digital Display			
Interior Lighting	Ecopoint Low Voltage LED 🌣 (IP65, 12VDC) Manual Control			
Insulation	CFC free Cyclopentane			
Shelving	8 Adjustable Heavy Duty PVC Coated Shelves			
Shelf Increments	12mm Shelf Increments with Number Markings for Easy Location			
Energy & Power				
MEPS Compliance	3M1, 4M1 & 5M1- High Efficiency			
MEPS Efficiency				
(kWh/24hr/m²)	2.94			
Without Lightbox				
Energy Consumption*	3.54			
(kWh/24hr)				
Power Required	220-240VAC/10Amp, Standard GPO (general power outlet)			
Mechanical				
Service Package	Universal Removable Refrigeration Package interchangable across all HPM Range			
Compressor	Secop (Danfoss)			
Refrigerant	R290 A Natural, Low Environmental Impact & High Efficiency			
Evaporator Treatment	Blue Coat Protection			
Other Features	Detected Midley Technology Design Alexanders Opids D. II Design			
F	Patented Airflow Technology Design – Also means Quick Pull-Down Tomographyse of Product			
	Temperature of Product			
Features	Internal Base Drip Tray per Door Lockable Tabe on Top of Doors			
	Lockable Tabs on Top of Doors Lockable Tabs on Top of Doors			
Marranty*	Isolate Internal Power Supply to Remove Refrigeration Package While Full			
Warranty*	5 Year Extendable Customer Care Warranty or			
Warranty*	1 Year Standard Warranty *Warranty Terms & Conditions apply			
	T real Standard Warrantywarranty refins & Conditions apply			

Huxford Refrigeration attempts to ensure the information is accurate and complete; however, this information may contain typographical errors, pricing errors and other inaccuracies. We assume no responsibility for such errors and omissions, and reserve the right to: (i) revoke any offer stated on the Web site; (ii) correct any errors, inaccuracies or omissions; and (iii) make changes to prices, content, promotions, product descriptions or specifications, or other information on the Web Site.

