

INTERNAL OPERATING TEMPERATURE

0-4°C

Perishable Foods ✓

Drinks & Beverages ✓

OUTSIDE or AMBIENT
OPERATING
TEMPERATURE
Up to

40°C

MAXIMUM POSSIBLE WARRANTY YEARS*

5 (RRANG) (8)



ENERGY CONSUMPTION

4.29kWh/24hr1

ELECTRICITY COST for 1 YEAR @ \$0.25c/kW

\$391.461

¹Sign box not included, Performed under test conditions

MEPS RATED

3M1 & 4M1

LOW ENERGY /
HIGH ENERGY EFFICIENCY



The **HPM1350** Huxford Pinnacle Merchandiser is a triple glass door refrigerator and is an eco-friendly, energy efficient, high quality yet affordable commercial upright display refrigerator. The internal operating temperature is between 0-4°C so it will store and display dairy, meat, seafood, processed foods (all potentially hazardous foods) as well as perishable foods and beverages. Unique "patented" airflow technology keeps the contents consistently chilled to temperature and quickly pulls down the temperature of warm/hot product. Chosen by clients for their eco-friendly design, low energy consumption, utilisation of R290 natural refrigerant, power efficiency, as well as the stylish/modern look with frameless doors and bubble grill. Complying with Australian (and NZ) Government MEPS (Minimum Energy Performance Standards) these units are rated 3M1, 4M1 & 5M1 and will save you on electricity costs. Featuring the universal Replaceable Refrigeration Package, interchangeable between all HPM models which simply slides in and out and requires no tooling. Essential for any business that wants minimal down time in case of fridge failure, especially for perishable foods. Fitted with a Carel digital controller that also controls the internal light and digitally displays the temperature in "icy blue" colour. These units are designed with durability in mind, for everyday heavy use. Suitable for up to 40°C ambient temperature.

HPM1350 Advantages

Warranty*

 5 Years Extendable Customer Care Warranty or 1 Year Standard Warranty (both Parts & Labour)

Energy Efficiency

 One of the lowest energy consumption fridges in the market

Compliance

MEPS 3M1 & 4M1

Airflow Technology

Patented airflow technology means faster cooling and temperature pull-down of product

Natural Refrigerant

 Uses R290 natural gas, low environmental impact, non-toxic, zero ODP, very low GWP, high performance/efficiency

Stylish

 Modern looking with Frameless Doors and Bubble Grill

Servicing

- Universal Removable Refrigeration Package used by all HPM slides in and out, no tools required.
- Long Lasting Steel Construction
- Rodent Proof





Features (shown in white)




Features continue next page...







More Features



Colour Options & Optional Custom Decals



HPM1350-B In Black



HPM1350 In White




HPM1350-B & HPM1350

Optional Custom Decals (additional cost)






Specifications









Mandal Nia	LIDRAGOEO (MAINISTA O LIDRAGOEO D (DISTA)
Model No	HPM1350 (White) & HPM1350-B (Black)
External	
Size (mm) Width x Depth x Height	1660 x 745 x 2200mm
Doors	Self Closing Frameless Doors
Doors	Self Closing Double Glazed Toughened Safety Glass with Low E
Exterior/Interior	Powder Coated Galvanised Steel - Colour Options: White or Black
Sign Box	Illuminated 200mm High Removable (comes with condensation atrwork infill)
Castors	8 Heavy Duty (4 front lockable)
Internal	
Capacity (Litres)	1384L
Size (mm)	1530 x 612 x 1443mm
Width x Depth x Height	1530 X 612 X 144311111
Temperature Range (°C)	0°C to 4°C - Tropicalised unit rated for 40°C ambient outside temperature
	All Perishable, Drinks or Potentially Hazardous Foods
Suitable Foods &	Dairy (all, milk, custard, etc), Meat/Poultry (all, raw, cooked, foods containing meat, etc),
Drinks/Beverages	Seafood (all, non-live), Processed Cut Fruits & Vegtables (all, fruit, vegetables, juices and
Dilliks/ Beverages	salads), Cooked Rice & Pasta, Food/s containing Egg, Beans, Nuts or protein-rich foods,
	Food/s containing any of the above, Perishable Foods, Drinks and Beverages
Controller / Thermometer	Carel Digital Display
Interior Lighting	Ecopoint Low Voltage LED 🌣 (IP65, 12VDC) Manual Control
Insulation	CFC free Cyclopentane
Shelving	12 Adjustable Heavy Duty PVC Coated Shelves
Shelf Increments	12mm Shelf Increments with Number Markings for Easy Location
Energy & Power	
MEPS Compliance	3M1 & 4M1
MEPS Efficiency	
(kWh/24hr/m²)	2.83
Without Lightbox	
Energy Consumption*	4.29
(kWh/24hr)	4.23
Power Required	220-240VAC/10Amp, Standard GPO (general power outlet)
Mechanical	
Service Package	Universal Removable Refrigeration Package interchangable across all HPM Range
Compressor	Secop (Danfoss)
Refrigerant	R290 🖂 Natural, Low Environmental Impact & High Efficiency
Evaporator Treatment	Blue Coat Protection
Other Features	
	 Patented Airflow Technology Design – Also means Quick Pull-Down
	Temperature of Product
Features	Internal Base Drip Tray per Door
	Lockable Tabs on Top of Doors
	 Isolate Internal Power Supply to Remove Refrigeration Package While Full
Warranty*	
Warranty*	5 Year Extendable Customer Care Warranty or
vvarianty	1 Year Standard Warranty *Warranty Terms & Conditions apply

Huxford Refrigeration attempts to ensure the information is accurate and complete; however, this information may contain typographical errors, pricing errors and other inaccuracies. We assume no responsibility for such errors and omissions, and reserve the right to: (i) revoke any offer stated on the Web site; (ii) correct any errors, inaccuracies or omissions; and (iii) make changes to prices, content, promotions, product descriptions or specifications, or other information on the Web Site.

