



-14 to -18°C

Safe to freeze Foods ✓ Ice-Cream, Ice & Drinks ✓

OUTSIDE or AMBIENT OPERATING TEMPERATURE Up to

30°C

STANDARD WARRANTY **YFARS**



ELECTRICITY COST for 1 YEAR @ \$0.30c/kW

ENERGY CONSUMPTION

\$378.87*

* Video Screen & Heated Door both included, Performed under test conditions







- SD Card





CLICK HERE TO WATCH OUR YOUTUBE VIDEO NOW



display this unit is ideal for attracting customer attention to product (complete with wireless directional remote control, must be aimed at rear). Fitted with a rear digital controller that also controls the internal light and digitally displays the temperature. Designed for everyday use and perfect for summer sales of ice-creams and other frozen goods. Suitable for up to 30°C ambient temperature.

HFSD50 Advantages

Warranty

1 Year Standard Warranty (Parts & Labour)

Lockable Door

Lockable door with 2 keys standard

Video Display

Play HD media from an SD Card, USB or HDMI input, includes speaker.

Maintenance

Easy to remove service cover





Features (shown in black)









Colour Options & Optional Custom Decals





HFSD50-B

Optional Custom Decals (additional cost)





HFSD50

Optional Custom Decals (additional cost)





Specifications



Model No	HFSD50* (White) & HFSD50-B (Black)
External	
Size (mm) Width x Depth x Height	460 x 440 x 920mm
Doors	Lockable Limited Angle Self-Closing, Three Layers in Tempered (Two Low E & One Heated)
Exterior/Interior	Powder Coated Galvanised Steel - Colour Options: Black or White*
Sign Box/Video DIsplay	HD (high-definition) LCD Display 19" (482mm, 900x1440px) Non-Removable Video Inputs: SD Card, USB & HDMI
Feet	4 Heavy Duty Adjustable
Internal	
Capacity (Litres)	50L
Size (mm) Width x Depth x Height	325 x 300 x 470mm
Temperature Range (°C)	-14°C to -18°C - Tropicalised unit rated for 30°C ambient outside temperature
Suitable Foods & Drinks/Beverages	Ice-Cream, Ice & Safe to Freeze Foods/Drinks
Controller / Thermometer	Dixell
Interior Lighting	LED Manual Control (rear switch)
Insulation	CFC free Cyclopentane
Shelving	3 Adjustable PVC Coated Shelves with stainless shelf stripping and clips
Energy & Power	
Energy Consumption* (kWh/24hr)	3.46 (includes heated door and video display on 24 hours)
Power Required	220-240VAC/10Amp, Standard GPO (general power outlet)
Mechanical	
Service Package	N/A
Compressor	Secop (Danfoss)
Refrigerant	R134a (R290 version coming soon!)
Evaporator Treatment	N/A – no evaporator
Other Features	
Features	HD Video display with mulitple inputs
Warranty*	
Warranty*	1 Year Standard Warranty

* MOQ: 50 Units

