

INTERNAL OPERATING TEMPERATURE

0-4°C

Perishable Foods ✓

Drinks & Beverages ✓

OUTSIDE or AMBIENT
OPERATING
TEMPERATURE
Up to

40°C

MAXIMUM POSSIBLE WARRANTY YEARS*







or 1 YEARS STANDARD
WARRANTY* Excludes Corporates



ENERGY CONSUMPTION

5.28kWh/24hr1

ELECTRICITY COST for 1 YEAR @ \$0.25c/kW \$481.80¹

¹Performed under test conditions

MEPS RATED

3M1, 4M1 & 5M1





The HBBR2 Huxford Back Bar Refrigerator or Under Bar Refrigerator is a double door, commercial display chiller which is durable and reliable. The internal operating temperature is between 0-4°C so it will store and display dairy, meat, seafood, processed foods (all potentially hazardous foods) as well as perishable foods and beverages. Unique airflow technology keeps the contents consistently chilled to temperature. Because of the waist high working height, it comes with a durable stainless steel working bench top. It can also be rolled or mounted under a counter or bench. Designed with compact components for maximum horizontal storage capacity and wide visual display area, capable of holding an ample amount of product. The top mounted bright internal LED lights are perfect for attracting customer attention to product. Featuring the universal Replaceable Refrigeration Package, interchangeable between all HBBR models which simply slides in and out and requires no tooling. Essential for any business that wants minimal down time in case of fridge failure, especially for perishable foods. Complying with Australian (and NZ) Government MEPS (Minimum Energy Performance Standards) this unit is rated 3M1, 4M1 & 5M1. Fitted with a Carel digital controller that also controls the internal light and digitally displays the temperature. These units are designed with durability in mind, for everyday heavy use. Suitable for up to 40°C ambient temperature.

HBBR2 Advantages

Warranty*

 2 Years Extendable Customer Care Warranty or 1 Year Standard Warranty (both Parts & Labour)

Compliance

MEPS 3M1, 4M1 & 5M1

Controller

• Electronic Carel temperature controller

Servicing

 Universal Removable Refrigeration Package (suits all HBBR) slides out, no tools required. Long Lasting Steel Construction. Rodent Proof





Features (shown in black)



Features continue next page...








More Features



Internal light switch control easily accessed from Carel controller on left middle side



Easy to open service cover - no tools required





Four heavy duty smooth rolling castors. Front castors are lockable which prevents accidental movement





HBBR2
In White (mock only)

HBBR2-B

Optional Custom Decals


(additional cost)







Specifications







Model No	HBBR2 (White) & HBBR2-B (Black)
External	
Size (mm)	
Width x Depth x Height	1476 x 602 x 960mm
Doors	Self Closing Double Glazed Toughened Safety Glass with Reflective Low E
Exterior/Interior	Powder Coated Galvanised Steel - Colour Options: Black or White
Sign Box	N/A
Castors	4 Heavy Duty
	(2 front lockable)
Internal	
Capacity (Litres)	364L
Size (mm)	1010 x 500 x 710mm
Width x Depth x Height	1010 X 300 X 7 10111111
Temperature Range (°C)	0°C to 4°C - Tropicalised unit rated for 40°C ambient outside temperature
	All Perishable, Drinks or Potentially Hazardous Foods
Suitable Foods & Drinks/Beverages	Dairy (all, milk, custard, etc), Meat/Poultry (all, raw, cooked, foods containing meat, etc),
	Seafood (all, non-live), Processed Cut Fruits & Vegtables (all, fruit, vegetables, juices and
	salads), Cooked Rice & Pasta, Food/s containing Egg, Beans, Nuts or protein-rich foods,
0 1 1 1=1	Food/s containing any of the above, Perishable Foods , Drinks and Beverages
Controller / Thermometer	Carel Digital Display
Interior Lighting	LED Manual Control
Insulation	CFC free Cyclopentane
Shelving	4 Adjustable Heavy Duty PVC Coated Shelves 12mm Shelf Increments
Energy & Power	12mm Shen increments
MEPS Compliance	3M1, 4M1 & 5M1
MEPS Efficiency	31VII, 41VII & 31VII
(kWh/24hr/m²)	9.96
Energy Consumption*	
(kWh/24hr)	5.28
Power Required	220-240VAC/10Amp, Standard GPO (general power outlet)
Mechanical	, , , , , , , , , , , , , , , , , , , ,
Service Package	Universal Removable Refrigeration Package interchangable across all HBBR Range
Compressor	Secop (Danfoss)
Refrigerant	R134a
Evaporator Treatment	Blue Coat Protection
Other Features	
	Patented Airflow Technology Design – Also means Quick Pull-Down
Features	Temperature of Product
- Teatures	Durable Stainless Steel Top Workbench 20mm High
	Internal Stainless Steel Base
Warranty*	
Warranty*	2 Year Extendable Customer Care Warranty* or
- vvairancy	1 Year Standard Warranty *Warranty Terms & Conditions apply

Huxford Refrigeration attempts to ensure the information is accurate and complete; however, this information may contain typographical errors, pricing errors and other inaccuracies. We assume no responsibility for such errors and omissions, and reserve the right to: (i) revoke any offer stated on the Web site; (ii) correct any errors, inaccuracies or omissions; and (iii) make changes to prices, content, promotions, product descriptions or specifications, or other information on the Web Site.

